





ASSEMBLE HANDLES TO MA10009









ASSEMBLE HANDLES TO MA10009







WARNING DAMAGE MAY OCCUR IF POWERED WITH INCORRECT LINK SETTINGS

FOR USE IN QBUS SLOTS, FIT L4 & L5

FOR USE IN UNIBUS SLOTS, C & D ONLY, FIT L6, L7, L8, L9.

FOR REMOTE BOOT FACILITY FIT L10 WITH BOARD IN SLOTS A & B (OMIT LINKS L4-L9).

SCHEMATIC IS D-11U-1862-D

ARTWORK SIDE #2 D-11U-1864-D

ARTWORK SIDE #1 D-11U-1865-D

SOLDER RESIST IS D-11U-1866-D

RNI, 2, 3, 4, 5, 6, 7 ARE BECKMAN 764-3-R(K2)

RN8, 9, 10 ARE BECKMAN 898-3-R(33)

RNI1, 12, 13, 14, 15 ARE BECKMAN 764-1-R(K)

ALL UNMARKED CAPACITORS ARE 10n

ALL DIODES ARE IN914

ALL OPTO ISOLATORS ARE HCPL2630

COPYRIGHT © VG DATA SYSTEMS LTD

DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED		REMOVE ALL BURRS AND SHARP EDGES		
ENG	AG	DO NOT SCALE DRG	MATERIAL	
DRN	MK	TOLERANCE UNLESS OTHERWISE STATED		
CHNL		DIMS 2 0 25mm	FINISH NOTES	
APP'D	SCALE	X2		
ECO #0	1478.0	C	VG DATA SYSTEMS LTD., ALTRINCHAM	
ECO #70	348.0	3	TITLE ASSEMBLY, P3-11U-650	
ORIGINAL	6.151	1	DRAWING NO. D-11U-SC3-D	
MODIFICATION	DATE ISS		BUFFERS & ISOLATORS FOR P3-1460	